



# VIKING Yachting



# VIKING RescYou™ A bright idea when you need to be found



VIKING LIFE-SAVING EQUIPMENT A/S

WHEN IT COMES TO  
**safety**  
THINK VIKING™





# Discover the VIKING advantage

## For the serious sailor

A VIKING RescYou™ liferaft is full of features important to the serious sailor. We concentrate on details that improve visibility, make boarding easier and reduce possible discomforts.

Our compact storage options don't get in the way. Flexible valises or high gloss fibre glass containers make easy and elegant storage on yachts of any size and type.

## Uncompromising and superior safety

Select a VIKING RescYou™ liferaft from a leading expert in maritime safety. Our complete range of yachting liferafts has been specifically developed with an uncompromising and superior safety until now only available in commercial shipping.



## The range of VIKING RescYou™ liferafts



### RescYou™ Pro

The ultimate liferaft for all types of sailing, where comfort and safety go hand in hand

- Top of the line with all the ultimate features
- Automatically self-righting
- ISO 9650-1 approved



### RescYou™

The traditional liferaft for cruising on the open sea

- Classic leisure liferaft
- Durable and stable
- ISO 9650-1 approved



### RescYou™ Coastal

The smart solution for coastal sailing

- For coastal waters
- Compact and portable
- ISO 9650-2 approved





## You get all this with a VIKING liferaft:

- 1 The base material of every liferaft is the strong, yet flexible, natural rubber
- 2 Fluorescent yellow canopy enhances visibility from a distance
- 3 Two separate buoyancy chambers each capable of supporting the maximum amount of passengers
- 4 Four 55 l. quick filling, weighted ballast bags offer maximum stability and prevent capsizing in heavy seas
- 5 SOLAS high-visibility retro-reflective tape on canopy, sides, buoyancy chambers and under the liferaft
- 6 Automatic SOLAS/USCG exterior strobe light and interior light
- 7 Easy slide zippers offer the ability to increase freeboard even when the hands are cold
- 8 Internal and external lifelines
- 9 Rain water collector (on the RescYou™ Pro and RescYou™)
- 10 Boarding ramp with ladder and handle ensures safe and quick evacuation
- 11 Large opening allows for helicopter evacuation from within
- 12 Two openings increase the view of the horizon and improves cross-ventilation

*Check all the liferaft specific details on the following pages >*





**Self-rights  
in seconds**

# VIKING RescYou™ Pro

**The ultimate liferaft for all types of sailing, where comfort and safety go hand in hand**

VIKING RescYou™ Pro is our top of the line leisure liferaft. It features generous space and headroom as well as all the details required by the serious sailor. The automatic self-righting function ensures that the liferaft is immediately ready for boarding.

The curtained windows give an excellent view of the horizon without the need to open the canopy. The inflatable double floor works as a good insulation from the cold ocean. Features that reduce the risk of hypothermia.

VIKING RescYou™ Pro is both ISO9650-1 certified and ISAF approved and third party verified by BV.




*The automatically self-righting VIKING RescYou™ Pro is ready for boarding within seconds*

| Type of liferaft:<br>RescYou™ Pro | Dimensions<br>L x W x H* | Weight<br>(incl. equipment) |
|-----------------------------------|--------------------------|-----------------------------|
| <b>4 person, container</b>        | 80 x 57 x 32 cm          | 40 kg                       |
| <b>4 person, valise</b>           | 84 x 43 x 34 cm          | 38 kg                       |
| <b>6 person, container</b>        | 80 x 57 x 35 cm          | 48 kg                       |
| <b>6 person, valise</b>           | 84 x 45 x 45 cm          | 41 kg                       |
| <b>8 person, container</b>        | 80 x 57 x 35 cm          | 53 kg                       |
| <b>8 person, valise</b>           | 87 x 49 x 43 cm          | 46 kg                       |

\* Height for liferaft in container includes cradle (approx. 2 cm)





*"This ISO liferaft reflects this meticulousness in design and construction, making this probably the best raft we tested..."*

Sailing Today,  
December 2011

# VIKING RescYou™

## The traditional liferaft for cruising on the open sea

VIKING RescYou™ is the classic leisure liferaft in the VIKING quality. The large opening in the canopy and the inflatable ramp ensures swift and easy boarding. The insulated double floor, excellent ventilation and good views of the horizon all make the stay as comfortable as possible.

There are no compromises on safety. The liferaft is naturally both ISO9650-1 certified, ISAF approved and 3<sup>rd</sup> party verified by BV.



| Type of liferaft:<br>RescYou™ | Dimensions<br>L x W x H* | Weight<br>(incl. equipment) |
|-------------------------------|--------------------------|-----------------------------|
| 4 person, container           | 75 x 45 x 32 cm          | 36 kg                       |
| 4 person, valise              | 80 x 41 x 36 cm          | 29 kg                       |
| 6 person, container           | 80 x 57 x 32 cm          | 42 kg                       |
| 6 person, valise              | 85 x 47 x 38 cm          | 36 kg                       |
| 8 person, container           | 80 x 57 x 35 cm          | 48 kg                       |
| 8 person, valise              | 80 x 45 x 45 cm          | 39 kg                       |

\* Height for liferaft in container includes cradle (approx. 2 cm)





# VIKING RescYou™ Coastal

## The smart solution for coastal sailing near rescue points

VIKING RescYou™ Coastal is the smart solution if you sail in coastal or inland waters near rescue points. Lightweight and easy to transport and fit on board.

Exceeding demands for ISO 9650-2 approval, the design includes a wide range of important details, such as the automatically inflated canopy and an innovative ramp that makes boarding swift and easy to reduce the risk of hypothermia.

The VIKING RescYou™ Coastal liferaft comes with a specifically designed coastal survival emergency pack that covers all basic needs in coastal rescue situations.



| Type of liferaft<br>RescYou™ Coastal | Dimensions<br>L x W x H* | Weight<br>(incl. equipment) |
|--------------------------------------|--------------------------|-----------------------------|
| 6 person, container                  | 75 X 45 X 30 cm          | 32 kg                       |
| 6 person, valise                     | 79 x 39 x 37 cm          | 28 kg                       |

\* Height for liferaft in container includes cradle (approx. 2 cm)





# Choosing your liferaft

## 4 important questions:

- Coastal sailing or longer voyages?
- What climate will you be sailing in?
- Boat races and regattas make special demands for the liferaft!
- Which emergency pack fits my needs?

| Feature  | RescYou™ Coastal | RescYou™       | RescYou™ Pro   |
|--|------------------|----------------|----------------|
| Capacity   | 6                | 4, 6 or 8      | 4, 6 or 8      |
| ISO 9650-1 and ISAF approved                       | -                | X              | X              |
| ISO 9650-2 approved                                | X                | -              | -              |
| Self-righting                                      | -                | -              | X              |
| Room: m <sup>2</sup> per person                    | 0.25             | 0,372          | 0,4            |
| Buoyancy: m <sup>3</sup> per person                | 0.082            | 0,096          | 0,1            |
| Freeboard (mm)                                     | 200              | 250            | 350            |
| Inflation temperature range                        | 0°C to +65°C     | -15°C to +65°C | -15°C to +65°C |
| Entrances  | 1                | 1              | 2              |
| Openings/observation slots                         | 2                | 2              | 4              |
| Two curtained windows                              | -                | -              | X              |
| Blue inner lining (calming effect)                 | -                | -              | X              |
| Rain water collector on canopy                     | -                | X              | X              |
| Insulated floor                                    | -                | X              | X              |
| Insulated and inflatable double floor              |                  |                | X              |
| Ballast bags (55 l)                                | 4                | 4              | 4              |
| SOLAS grade high-visibility retro-reflective tape  | X                | X              | X              |
| Interior light and automatic exterior strobe light | X                | X              | X              |
| Emergency pack: standard coastal (ISO 9650-2)      | X                | -              | -              |
| ISO emergency pack II                              | -                | X              | X              |
| Optional upgrade to ISO emergency pack I           | -                | X              | X              |
| Option: Water-resistant valise                     | X                | X              | X              |
| Option: Durable fibre-glass container              | X                | X              | X              |
| 3 year recommended service interval                | X                | X              | X              |





# Easy storage

## Choosing between a valise or container

Storage decision depends on your vessel. If there is enough space on the deck or railing, we recommend that you mount a container for your VIKING liferaft. In an emergency, it is easy to get to the liferaft and deploy it.

The valise is a good solution when there isn't enough room to mount a container. It stores in a dry and stable area below deck or in a deck storage box. The valise is a portable solution when you want to take the liferaft with you.



### Container

The container offers maximum protection against the elements. Mount the container on deck, railing, push pit or bulkhead.

### Valise

The valise is water-resistant and the cover has a modern black and silver design. You can bring the valise ashore to prevent theft or if deck space is limited.



### Mounting brackets for VIKING liferafts

The mounting brackets are made of high quality stainless steel.

### HRU – Hydrostatic Release Unit

A hydrostatic release unit, or HRU, enables liferafts to surface and inflate automatically when a vessel is sinking. Simple to install and releases at all angles – requiring only water pressure to activate.





# Liferaft contents

Life-Saving Equipment is packed according to relevant regulations. VIKING uses exclusively high quality products.

| Emergency pack                  | ISO I | ISO II | Coastal | SOLAS B | Type E |
|---------------------------------|-------|--------|---------|---------|--------|
| SOLAS parachute rocket signals  | 2     | 2      | 2       | 2       | 2      |
| SOLAS handflares                | 6     | 3      | 3       | 3       | 3      |
| SOLAS flashlight                | 2     | 1      | 1       | 1       | 1      |
| Extra batteries and bulb        | 2     | 2      | 1       | 1       | 1      |
| Whistle                         | 1     | 1      | 1       | 1       | 1      |
| SOLAS/USCG signaling mirror     | 1     | 1      | 1       | 1       | 1      |
| SOLAS/USCG drinking water (L)   | 9     | 3      | 0       | 0       | 3      |
| SOLAS first aid kit             | 1     | 0      | 0       | 0       | 1      |
| Anti-seasickness tablets        | 36    | 36     | 36      | 36      | 36     |
| Bailer                          | 1     | 1      | 1       | 1       | 1      |
| Sponges                         | 2     | 2      | 2       | 2       | 2      |
| Survival instructions           | 1     | 1      | 1       | 1       | 1      |
| Table of life-saving signals    | 1     | 1      | 1       | 1       | 1      |
| Seasickness bags                | 6     | 6      | 6       | 0       | 0      |
| SOLAS/USCG thermal survival bag | 2     | 0      | 0       | 3       | 0      |
| Emergency ration (kg)           | 3     | 0      | 0       | 0       | 0      |
| Bellows/pump                    | 1     | 1      | 1       | 1       | 1      |
| Leak stopper                    | 3     | 3      | 3       | 3       | 3      |
| Sunscreen                       | 2     | 0      | 0       | 0       | 0      |
| Drinking cup                    | 0     | 0      | 0       | 0       | 1      |
| Safety tin opener               | 0     | 0      | 0       | 0       | 3      |
| SOLAS fishing kit               | 0     | 0      | 0       | 0       | 1      |
| Extra sea anchor and line       | 0     | 0      | 0       | 1       | 0      |
| Scissors                        | 0     | 0      | 0       | 0       | 1      |
| SOLAS/USCG smoke signal         | 0     | 0      | 0       | 1       | 0      |
| Repair kit                      | 0     | 0      | 0       | 0       | 1      |
| Liferaft Equipment              | ISO I | ISO II | Coastal | SOLAS B | Type E |
| Instructions for use            | 1     | 1      | 1       | 1       | 1      |
| Sea anchor with line            | 1     | 1      | 1       | 1       | 1      |
| Buoyant safety knife            | 1     | 1      | 1       | 1       | 1      |
| Paddles (pcs)                   | 2     | 2      | 2       | 2       | 2      |
| Rescue quoit with line          | 1     | 1      | 1       | 1       | 1      |
| Water bags (set)                | 1     | 1      | 1       | 1       | 1      |
| Radar reflector                 | 0     | 0      | 0       | 1       | 0      |

Content is based on a 6 person liferaft





# VIKING Lifejackets

Revised  
range!

## Combining comfort and style with safety

VIKING's yachting lifejackets are designed to look stylish, feel comfortable and protect. Slim and lightweight for all day wear and won't get in the way of your sailing.

VIKING RescYou™ lifejackets combine quality craftsmanship with premium features. For extra durability all lifejackets are double-stitched and stainless steel buckles are corrosion resistant.

Advanced materials and the wide waist band make VIKING lifejackets comfortable wear.

Your safety is our bottom line. All lifejackets inflate in a matter of seconds, are self-righting and designed with essential safety features such as crotch strap, SOLAS-grade retro reflective tape and a highly visible lifting becket. In a rescue situation every detail counts.



**RescYou™ Atlantic (PV9274)**

- Basic lifejacket
- Single buoyancy chamber made in PU coated nylon (150 N buoyancy)
- Lifting becket, crotch strap, whistle and strap for light
- Halkey Roberts inflation system
- Colours available: Red
- Approval: ISO 12402-3 / 12402-6



**RescYou™ Conquest (PV9273)**

- Slim and lightweight design
- Single buoyancy chamber made in PU coated nylon (150 N buoyancy)
- Lifting becket, crotch strap, whistle, strap for light
- Stainless steel D-ring for attachment of safety line (Without D-ring: PV9272)



- Halkey Roberts or Hammar inflation system
- Optional sprayhood
- Optional strap for emergency transmitter
- Colours available: Black and red
- Approval: ISO 12401 / 12402-3 / 12402-6



# The VIKING advantage

VIKING is a market leader in maritime safety with over 50 years of experience, providing essential safety equipment for passenger & cargo vessels, offshore installations, defence and fire fighting industries, fishing and yachting vessels.

VIKING products are supported by a unique global network of branch offices and authorised servicing stations. We work together as a team via our extensive information network.

Contact your nearest VIKING office and hear more about what makes VIKING so special and how we can help you make the right choice - the first time around.



Schiffsausrüster für traditionelle Schiffe und  
klassische Yachten · Werftausrüstung


## TOPLICHT

Notkestraße 97 · 22607 Hamburg

Tel.: +49 (0)40-8890100

Fax: +49 (0)40-88901011

toplicht@toplicht.de · www.toplicht.de



TOPLICHT 9.Februar 2018

1026993 - Yachting folder HQ - 08.2012



VIKING LIFE-SAVING EQUIPMENT A/S · Saedding Ringvej 13 · DK-6710 Esbjerg V · Denmark  
Tel +45 76 11 81 00 · Fax +45 76 11 81 01 · www.VIKING-life.com

WHEN IT COMES TO  
**safety**  
THINK VIKING™